

Marmite


MALOSSI



Istruzioni di montaggio

- Svitare le viti indicate e rimuovere la carenatura (Fig. 1)
- Disconnettere il cavo della sonda lambda (Fig. 2)
- Svitare la vite indicata (Fig. 3)
- Dopo aver rimosso i dadi sul cilindro rimuovere tutto il kit originale, svitare poi la sonda lambda (Fig. 4)
- Innestare i collettori Malossi e fissarli con i bulloni originali (Fig. 5)
- Montare il raccordo sui collettori e fissarlo con le molle fornite nel kit (Fig. 6)
- Inserire il terminale nel raccordo e fissarlo con la apposita fascetta e la bulloneria Malossi fornita nel kit, avvitare la sonda lambda, ricollegare il cavo della sonda e quindi rimontare la carenatura laterale. Fissare il silenziatore al raccordo utilizzando la molla (Fig. 7).
- NB: Controllare il serraggio di tutte le viti.

Fascetta di sostegno

Alloggiare e tagliare a misura la guarnizione per fascetta di sostegno (Fig. 9 - 10).

Speriamo che lei abbia trovato sufficientemente esaustive le indicazioni che precedono. Nel caso in cui qualche punto le risultasse poco chiaro, potrà interpellarci per iscritto compilando l'apposito modulo inserito nella sezione "contatti" del ns. sito Internet (malossistore.com). Ringraziamo fin d'ora per le osservazioni e suggerimenti che vorrà eventualmente farci pervenire. La Malossi si commiata e coglie l'occasione per complimentarsi ulteriormente con Lei ed augurarle un Buon Divertimento. In BOCCA al LUPO e... alla prossima.

Le descrizioni riportate nella presente pubblicazione, si intendono non impegnative. Malossi si riserva il diritto di apportare modifiche, qualora lo ritenesse necessario, al fine di migliorare il prodotto, e non si assume nessuna responsabilità per eventuali errori tipografici e di stampa. La presente pubblicazione sostituisce ed annulla tutte le precedenti riferite agli aggiornamenti trattati.

Garanzia

Consulta le condizioni relative alla garanzia sul nostro sito malossistore.com.

Prodotti riservati esclusivamente alle competizioni nei luoghi ad esse destinate secondo le disposizioni delle competenti autorità sportive. Decliniamo ogni responsabilità per l'uso improprio.

Fitting Instructions

- Unscrews the screws shown above and remove the fairing **(Fig. 1)**
- Unplug oxygen sensor cable **(Fig. 2)**
- Unscrew the screw shown above **(Fig. 3)**
- Remove the nuts securing the OE headers to the cylinders, remove the whole OE system and unplug the oxygen sensor **(Fig. 4)**
- Fit Malossi collectors and secure them to the cylinders using original hardware **(Fig. 5)**
- Fit manifold to the collectors and secure it using the springs given in the fitting kit **(Fig. 6)**
- Fit Malossi silencer to the mid-pipe and secure it to the frame using the mounting strap given in the fitting kit. Connect the oxygen sensor to the mid-pipe and plug the oxygen sensor cable. Fit the fairing and secure the silencer to the mid-pipe with the spring **(Fig. 7)**
- NB: Check all the screws to be properly tightened.

Mounting clamp

Fit the rubber cover to the stainless steel mounting clamp and trim it to the required length **(Fig. 9 - 10)**.

We hope you found the above instructions sufficiently clear. However, if any points are not particularly clear, please contact us completing the special form inserted in the "contact" section on our Internet site (**malossistore.com**). We thank you in advance for any comments and suggestions you may wish to send us. So goodbye from us all at Malossi, and please accept our compliments. Have Fun. GOOD LUCK and ... see you next time.

The descriptions in this publication are not binding. Malossi reserves the right to make modifications, if it considers them necessary, and does not accept any responsibility for any typographic or printing errors. This publication replaces all previous publications referring to the updating matters contained therein.

Warranty

Look up warranty terms in our website **malossistore.com**.

These products are reserved solely for races in locations reserved for those purposes and in accordance with the regulations issued by the competent authorities for sports events. We decline any and all responsibility for improper use.

Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5




Fig. 6




Fig. 7






Fig. 8



Fig. 9



Fig. 10



MARMITTE

Marmitte - Silenziatori
Exhaust systems - Silencers

 **MADE IN ITALY**



MALOSS

AGITARSI PRIMA DELL'USO

Our Exhaust Systems
Univers



malossi.com